Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7	324/249,253.ccls. and ((square rectang\$6) with (magnetic core yoke flux adj guide pole adj piece ferr\$3 ferr\$2magnet\$4) and (coil winding) and (substrate dielectric\$3 semiconduct\$3)).clm.	US-PGPUB	OR	ON	2007/12/21 10:25
S23	266237	(driv\$3 excit\$3 generat\$3) near3 (coil winding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/12/21 08:04
S24	80786	S23 and (sens\$3 detect\$3 pick\$1up output measur\$3 probe transducer receiv\$3) near3 (coil winding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/12/21 08:04
S25	3623	(flux\$1gate flux\$1valve flux adj gate flux adj valve)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/12/21 08:04
S26	893	S25 and (substrate dielectric\$3 semiconduct\$3).	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/12/21 08:56
S27	22496	324/244,249,253-255.ccls. 336/180-185, 221-232.ccls. 438/3,10,14,15,17,48.ccls. 33/272,310,316,319,345,352,355R,361.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/12/21 08:41
S28	546	S27 and (flux\$1gate flux\$1valve flux adj gate flux adj valve)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/12/21 08:19

S29	156	S28 and (substrate dielectric\$3 semiconduct\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/12/21 08:04
S30	737	S26 not S29	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/12/21 08:04
S31	59341	S24 and (core yoke flux adj guide pole adj piece ferr\$3 ferr\$2magnet\$4 magnetic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/12/21 08:04
S32	13002	S31 and (substrate dielectric\$3 semiconduct\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/12/21 08:04
S33	5857	S32 and (driv\$3 excit\$3 generat\$3) near3 (coil winding) with ("2" second two additional multipl\$3 plural\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/12/21 08:04
S34	3710	S33 and (sens\$3 detect\$3 pick\$1up output measur\$3 probe transducer receiv\$3) near3 (coil winding) with ("2" second two additional multipl\$3 plural\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/12/21 08:04
S35	3080	S34 and (core yoke flux adj guide pole adj piece ferr\$3 ferr\$2magnet\$4 magnetic) with ("2" second two additional multipl\$3 plural\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/12/21 08:04

S36	1666	S27 and (driv\$3 excit\$3 generat\$3) near3 (coil winding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/12/21 08:04
S37	1044	S36 and (sens\$3 detect\$3 pick\$1up output measur\$3 probe transducer receiv\$3) near3 (coil winding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/12/21 08:04
S38	1020	S37 and (core yoke flux adj guide pole adj piece ferr\$3 ferr\$2magnet\$4 magnetic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/12/21 08:04
S39	325	S38 and (substrate dielectric\$3 semiconduct\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/12/21 08:04
S40	737	S30 not S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/12/21 08:04
S41	660	S40 not S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/12/21 08:04
S42	702	324/249,253.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/12/21 08:04

S43	34	(CHOI-WON-YOUL).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/12/21 08:36
S44	135	(CHOI-SANG-ON).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/12/21 08:35
S45	43	(HWANG-JUN-SIK).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/12/21 08:34
S46	72	(KANG-MYUNG-SAM).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR _.	ON	2007/12/21 08:19
S48	24856	324/244,249,253-255,260.ccls. 336/180-185,200,221-232.ccls. 438/3,10,14, 15,17,48.ccls. 33/272,310,316,319,345,352, 355R,361.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/12/21 09:49
S49	1160	S48 and (squar\$3 rectangular\$2 rectangl\$4) with (core yoke flux adj guide pole adj piece ferr\$3 ferr\$2magnet\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/12/21 09:51
S50	4199	S24 and (squar\$3 rectangular\$2 rectangl\$4) with (core yoke flux adj guide pole adj piece ferr\$3 ferr\$2magnet\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/12/21 09:55

S51	1174	S50 and (substrate dielectric\$3 semiconduct\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/12/21 09:55
S52	1083	S51 not S49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/12/21 09:51
S53	195	324/258.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/12/21 08:57
S54	1137	S48 and (squar\$3 rectangular\$2 rectangl\$4) with (magnetic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/12/21 09:51
S55	599	S54 not S52 not S49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/12/21 09:51
S56	4737	S24 and (squar\$3 rectangular\$2 rectangl\$4) with (magnetic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/12/21 09:55
S57	1497	S56 and (substrate dielectric\$3 semiconduct\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/12/21 09:56

DERWENT : IBM TDB	S58	828	S57 not S55 not S52 not S49		OR	ON	2007/12/21 09:56
-------------------	-----	-----	-----------------------------	--	----	----	------------------